
28:16

R.W.GILPIN-DEC 15,04







ILLUSTRATED

TYPES

-0F-

Pasteur Water Filters

MANUFACTURED BY

The Pasteur-Chamberland Filter Co.

DAYTON, OHIO, U.S. A.

1900. The Walker Litho, and Printing Co. Dayton, Ohio.

LIBRARY of , THE , , FRANKLIN INSTITUTE

NYSA FILTER.

ORNAMENTAL.

ATTRACTIVE.



EXTERIOR

Practical
for
Equipping
Residences,
Hotels,
Stores,
Large Buildings



INTERIOR

Cipher Word.	COMBINED WATER FILTER AND COOLERS NYSA-PAINTED.	Ca	pof	No. of	Filter.	Diam of Base.	
Note	No 1	1 2	Gal.	I	30	I 2	
	No 3						
	No. 6						
	No. 12						
Next	No. 18	-8	61	18	41	20	
	NYSA-NICKEL PLATED.						
Noon_	No. I	- I ½	Gal.	I	30	I 2	
	No. 3						
Nile	No. 6	- 3	+ 6	6	33	15	
	No. 12						
	No. 18						

PEDESTALS.

Convenient for Mounting Nysa, Vesta and Vega Filters.



STYLE A.



STYLE B,

Cipher Word.	PEDESTALS.	Height Inches.	Size of Top.	Style.
Pack For Nos.	I and 3 Nysa	334	13	В
PorkFor Nos.	. 6 and 12 Nysa and Ves	ta, 36¼	18	B
Part For No.	18 Nysa	361	23	B
Puff For Nos.	6 and 12 Nysa and Ves	ta, 35½	18	A
Pipe For No.	18 Nysa	35½	2I	A


GLOBE RESERVOIR FILTERS.



		10	

INTERIOR

EXTERIOR				NIERIOR	
Cipher GLOBE RI Word- NICKEL	PLATED. R	o. of No. of es. Tubes.	Inches.	Base. Inches.	
Oar No. I J. Oven No. I K. Throw No. 3 K. Text No. 3 L. Snub No. 6 L. Sickle - No. 6 M. Twirl No. 12 L. Twist No. 12 M.	"2 "3 "5	" - 3 " - 3 " - 6 " - 6	24½ 26 26 26	3 ⁷ / ₈ 5 6 6	
Ell No. 18 L. Emm No. 18 M. Orb No. 1 R.	" 3 " 5 GLOBE RESE Res 1 1 ("18 "18 RVOIR-PAIN	26 29½ VTED.	7½9 9 9	
Trumpet No. 3 R.	"I ¹ / ₂	" 3	241	5	



Illustrating
two methods
of installing
Globe or T
Reservoir
Filters.



Pasteur Filter in Restaurant at Broad Street Station, Penna. R. R., Philadelphia.


ACORN RESERVOIR FILTERS.

Practical for Lavatories, Restaurants or Bars.

SPECIAL FEATURE OF THIS FILTER:

The Interior of Reservoir Accessible for Cleansing whenNecessary....





INTERIOR

Word.	IPTION,		Re	S.	Tubes.	Height of Filter Inches.	Base. Inches.
Oath No. I T. I	Res., Pair	nted	-13 G	al.	I	25}	30
OpalNo. I U.	6.6	4.6	- 2				31
Trick_No. 3 T.	**	6.6	- 15				5
Trunk No. 3 U.	66		-2	11	-		5
Oblige No. 1 V.	" Nickel	Plated	111				$3\frac{1}{2}$
Obligate No. I W.		6.6	_ 2	11			32
Tact No. 3 V.	44 44	4.6	- I 1				5
Tack No. 3 W.			- 2				5
Tag No 3 X.	11 11	- 66	- 3				5
Span - No. 6 V.	66 66	44	- 1 1				6
Spare No. 6 W.	44						6
Spang - No. 6 X	66 66	66	-3				6
Task No. 12 X.	66 61	+6	- 3				71
ExitNo. 18 X.		4.6	-3				9

BAR FILTERS.

ORNAMENTAL.

PRACTICAL.

CONVENIENT.




Cipher Word.	BAR	FILTE	RS.	of	No. of	Height of Filter. Inches.	Base.	
BeanNo. Barley_No.	0					0.0	_	

TOURIST FILTER.


A Safe-guard to Health.

A necessity and pleasure when traveling.



Cipher Word	DE	SCRIPTION.	Cap. of Res.	No, of Tubes.
TartT	ourist i	n Natural Wood	Box None	1
Tidal	6.6	" Seal Leather	"None	I

SUSPENDED FILTERS.





No. I Suspended and two gallon Jar set up for small family use.

Cipher Word.	PRESSURE FILTERS. Suspended.	Cap. of Res.	No. of Tubes	Height of Filter	Diam, of Base
Sun	No. 1 Tinned	_None_	1	_II½ In	2 In.
Star	No. 1 Nickel Plated	_None_	I	-II/2 "	2 "
Sole	No. 3 Nickel Plated	None_	3	-121/2 "	A "

Note —All Suspended Filters are listed less cocks. Cocks must be specified when wanted.

We make three styles of connection for the Suspended Filters, any one of which is easily connected, but often times one is more convenient than the other. They are described as 3% Pet Cocks, 3% Bent Nose Fuller Cocks and 3% Union Connections. These cocks and connections have the Standard 3% Pipe Thread.







UNION CONNECTION.



B. N. FULLER COCK.

STORAGE JARS.



3 Gallon Jar.



5 Gallon Jar and Ice Jar.

Cipher	
Word	STORAGE JARS.
Jug	2 Gallon Iar no Ice Iar
Jan	3 Gallon Jar, no Ice Jar
Jerry	Gallon lar, no Ice Iar
Jam	5 Gallon Jar, with Ice Jar

VEGA FILTERS.

Non-Pressure Filter and Cooler. Used where no plumbing is accessible.



	Non-Pressure Combined
Cipher Word.	WATER FILTERS AND COOLERS. VEGA.
7:	NT.

	75
Valet No.	105



INTERIOR


-10---- 43---- II¹/₂ -----

	No. of Tubes.	Height of Filter Inches.	Base	
5 Gal	4	43	II 1 2	
5 14	7	13	113	

ISIS FILTERS.

Non-Pressure Filter.
Where no plumbing is used.





Cipher Word.	Non-PRESSURE FILTERS. ISIS.	Cap. of Res.	No. of Tubes.	Height of Filter. Inches.	Base.	
Iron	No. 4	3 Gal	-4	37½	9½	
Ice	-No. 7	3 Gal	-7	371	91	

LEDA FILTERS.

Another Non-Pressure

Filter.







INTERIOR.

Cipher Word	Non-Pressure Filters. LEDA.	Cap. of Res.	No. of Tubes.	Height of Filter Inches.	Diam. of Base Inches
Lens	No 2	2 G21	7	201/	8

VESTA FILTERS.

Non-Pressure Filter and Cooler Combined.




EX	TERIOR	
NT TO-		

Cipher Word	WATER FILTERS AND COOLERS VESTA.	Res.	Tubes.	Filter. Inches	Base. Inches	
Vine	No. 3	-27 Gal	3	4 I	I 5	


NON-RESERVOIR FILTERS.



For Factories
Schools or
Other Places.
Can be used
with or without
Storage Tanks.



NON-RESERVOIR FILTERS.



EXTERIOR NO, 40 NON.

For large plants of every description, where a large quantity of pure water is required, such as Bottling Works, Photograph Galleries, Etc. Can be connected in batteries for general filtration.





STAND FOR NO. 40 NON

Cipher Word, DIRECT DELIVERY.	Cap. of No. of Res. Tubes	Height of Filter	Diam. of Base.
Thorn No. 3 no Res	None 3	154 In	5 Iu
Snail_No. 6 no Res	None 6	144 "	6 "
Toy No. 12 no Res	None12	144 "	7½ ··
EarNo. 18 no Res Fawn _No. 40 no Res	None 18	15 "	9 "

SCHOOL FILTERS.

Specially designed for Schools
Used successfully on Yachts, Pleasure Boats
and Private Cars.






Cipher Word.	DESCRIPTION.	Cap. of Res.	No. of Tubes.	Height of Filter. Inches	Diam, of Base. Inches.
Speed	_No. 6	None_	6	14	6
Tardy	-No. 12	None_	I2	I4	7 1 2
English_	No. 18	None_	18	I 5	9

PORCELAIN LINED TANKS.

Successfully used where ice water is not required.





Set up Ready for Use.

The Pasteur Army, Camp or Field Filter.

For Camping Parties,

Base Ball Clubs,

Racing Men,

Engineering Parties;

and most

Convenient

for

Camp and Field.



Removing Tubes to Clean.



Folded Ready to Pack.

Cipher Word.	ARMY, FIELD OR CAMP FILTER.		Filter. Inches	Base.	
	With Strainer Without Strainer				

The Pasteur Army, Camp or Field Filter,
as used by the
United States Army.





